

**Notice of Allowability**

Application No.

10/698,222

Applicant(s)

SHI ET AL.

Examiner

Art Unit

Toan M. Le

2863

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 7/5/05.
2. ☒ The allowed claim(s) is/are 1-25.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some\* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☒ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
- (a) ☒ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
- 1) ☒ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- |   |   |
|---|---|
| 1. <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)   | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)           |
| 2. <input checked="" type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                     | 6. <input type="checkbox"/> Interview Summary (PTO-413),<br>Paper No./Mail Date _____ |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),<br>Paper No./Mail Date _____ | 7. <input type="checkbox"/> Examiner's Amendment/Comment                              |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit<br>of Biological Material          | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance  |
|   | 9. <input type="checkbox"/> Other _____   |

## **DETAILED ACTION**

### ***Drawings***

The drawings are objected to because:

Character of Lines, Numbers, & Letters, 37 CFR 1.84(l): Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality), Figure 8.

Shading, 37 CFR 1.84(m): Solid black not permitted, Figure 8.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

### ***Information Disclosure Statement***

The reference A11 of information disclosure statement filed 3/22/04 fails to comply with the provisions of 37 CFR 1.97, 1.98 and MPEP § 609 because it is not dated. It has been placed

Art Unit: 2863

in the application file, but the information referred to therein has not been considered as to the merits. Applicant is advised that the date of any re-submission of any item of information contained in this information disclosure statement or the submission of any missing element(s) will be the date of submission for purposes of determining compliance with the requirements based on the time of filing the statement, including all certification requirements for statements under 37 CFR 1.97(e). See MPEP § 609.05(a).

*Allowable Subject Matter*

Claims 1-25 allowed.

Claims 1-25 are allowable over the prior art of record, none of the prior art whether together singularly or in combination to teach the claimed combination as recited. The closest reference "Metrology Study of Sub 20Å Oxynitride by Corona-Oxide-Silicon (COS) and Conventional C-V Approaches", Hung et al., does not disclose or suggest the improvement of the instant application comprises the step of measuring at least two surface voltages of the insulating film, wherein the surface voltages are measured after different charge depositions on the insulating film and wherein the measuring is performed in two or more sequences to determine individual parameters for the two or more sequences in order to determine the parameter such as equivalent oxide thickness of the insulating film/leaky insulating film/nitridated insulating film as an average of the individual parameters as in claims 1-14 and the step of determining a characteristic of nitrogen in an insulating film using two parameters of the insulating film selected from the group consisting of equivalent oxide thickness, optical thickness, and measure of leakage through the insulating film, wherein the characteristic comprising a nitrogen dose/percentage or a presence of nitrogen in the insulating film as in

Art Unit: 2863

claims 15-20 and a model using two or more parameters of the insulating film as input wherein the two or more parameters are function of the at least one composition parameter or the physical thickness or from a non-contact electrical measurement to determine physical thickness of an insulating film as in claims 21-25.

Hung et al. reference teaches a method of metrology study of silicon oxynitride insulating film using Quantox to measure equivalent oxide thickness, flatband voltage, total charge, interface trap density and the leakage current of pre- and post-annealed oxynitride and correlating the nitrogen density from secondary ion mass spectroscopy (SIMS) and nuclear reaction analysis (NRA) to determine nitrogen depth profile.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

### *Conclusion*

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Toan M. Le whose telephone number is (571) 272-2276. The examiner can normally be reached on Monday through Friday from 9:00 A.M. to 5:30 P.M..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Barlow can be reached on (571) 272-2269. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications

Art Unit: 2863

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Toan Le

September 26, 2005

**BRYAN BUI**  
**PRIMARY EXAMINER**

A handwritten signature in black ink, appearing to read 'Bryan Bui', is written below the printed name and title.